

## BONNEY SOCKET WRENCHES


## STANDARD SOCKET SERIES



Chrome-Vanadium Steel; 1/2 Inch Square Drive

Double Square			Hexagon		
No.	Each	Opening, in.	No.	Each	Opening, in.
4112	\$0.60	3/8	4012	\$0.60	3/8
4114	.60	7/16	4014	.60	7/16
4116	.60	1/2	4016	.60	1/2
4118	.60	5/8	4018	.60	5/8
4120	.60	3/4	4019	.60	3/4
4122	.70	7/8	4020	.60	7/8
4124	.75	1	4021	.60	1
4128	.75	1 1/8	4022	.70	1 1/8
4132	1.00	1 1/4	4024	.75	1 1/4
Double Hexagon			4025	.75	1 1/2
No.	Each	Opening, in.	No.	Each	Opening, in.
D14	\$0.60	3/8	4026	.75	1 3/8
D16	.60	7/16	4028	.75	7/8
D18	.60	1/2	4030	.90	1
D19	.60	5/8	4031	.90	1 1/8
D20	.60	3/4	4032	.90	1 1/4
D21	.60	7/8	Straight Wall Double Hexagon		
D22	.70	1	No.	Each	Opening, in.
D24	.75	1 1/8	A14	\$0.75	3/8
D25	.75	1 1/4	A16	.75	7/16
D26	.75	1 1/2	A18	.75	1/2
D28	.75	1 3/8	A19	.75	5/8
D30	.90	1 1/2	A20	.75	3/4
D31	.90	1 3/4	A22	.75	7/8
D32	.90	1 7/8	A24	.90	1
D34	1.00	2	A25	.90	1 1/8
D36	1.10	2 1/8	A26	.90	1 1/4
D40	1.20	2 1/2	A28	.90	1 3/8
			A30	1.00	1 1/2
			A31	1.00	1 3/4
			A32	1.00	2

## STANDARD SERIES HANDLES AND ATTACHMENTS



Chrome-Vanadium Steel

No.	Each
No. 4081—Offset handle	\$1.80
No. 4082—"T" handle, 6 in. long	1.50
No. 4084—Brace, 13 in. long	2.25
No. 4085—Speeder, 20 in. long	2.50
No. 4086—Offset handle, 10 in. long	1.00
No. 4087—Sliding "T" handle, 11 in. long	1.65
No. 4087A—Sliding "T" handle, 15 in. long	1.80
No. 4090—Extension, 5 in. long	.90
No. 4090B—Extension, 2 in. long	.90
No. 4091—Extension, 10 in. long	1.80
No. 4091A—Extension, 20 in. long	1.70
No. 4092—Cross handle for 10 in. extension	.45
No. 4093—Ratchet, with lug	4.00
No. 4094—Extra lug for ratchet	.60
No. 4095—Universal joint	2.25
No. 4096—Hinge handle, 15 in. long	3.40
No. 4096A—Hinge handle, 10 in. long	3.15
No. 4097—Reversible Ratchet	5.00

## STANDARD SERIES SOCKET SETS



No. G—Chrome-Vanadium Steel


Made up expressly for the man who already has a number of attachments and is enlarging the assortment of sockets already in his set.

Set consists of eleven sockets put up in a cardboard box as follows:

No. D14—3/8 in. double hexagon socket
No. D16—1/2 in. double hexagon socket
No. D18—5/8 in. double hexagon socket
No. D19—3/4 in. double hexagon socket
No. D20—7/8 in. double hexagon socket
No. D22—1 in. double hexagon socket
No. D24—1 1/8 in. double hexagon socket
No. D25—1 1/4 in. double hexagon socket
No. D26—1 1/2 in. double hexagon socket
No. D28—1 3/8 in. double hexagon socket
No. D30—1 1/2 in. double hexagon socket

Per set

No. G—11 sockets; wt. per set 2 1/2 lbs. \$7.60



No. D2—Chrome-Vanadium Steel

A complete, compact low priced socket set for heavy duty work, obtainable in either cardboard box or metal box.

Set consists of fourteen pieces as follows:

No. D14—3/8 in. double hexagon socket
No. D16—1/2 in. double hexagon socket
No. D18—5/8 in. double hexagon socket
No. D19—3/4 in. double hexagon socket
No. D20—7/8 in. double hexagon socket
No. D21—1 in. double hexagon socket
No. D22—1 1/8 in. double hexagon socket
No. D24—1 1/4 in. double hexagon socket
No. D25—1 1/2 in. double hexagon socket
No. D26—1 3/8 in. double hexagon socket
No. D28—1 1/2 in. double hexagon socket
No. D30—1 3/4 in. double hexagon socket
No. D32—1 in. double hexagon socket
No. 4096—Hinge handle, 15 in. long.

Per set

No. D2-CB—14 pieces; in cardboard box; wt. per set 5 1/2 lbs. \$12.50

No. D2-MB—14 pieces; in metal box; wt. per set 6 1/4 lbs. 14.20

No. D2-B—Metal box only. 1.70

No. D3—Chrome-Vanadium Steel

The most complete, compact set for all-around work ever offered. Each piece will stand the most severe usage.

Set consists of eighteen pieces packed in black enameled metal box as follows:

No. D14—3/8 in. double hexagon socket
No. D16—1/2 in. double hexagon socket
No. D18—5/8 in. double hexagon socket
No. D19—3/4 in. double hexagon socket
No. D20—7/8 in. double hexagon socket
No. D21—1 in. double hexagon socket
No. D22—1 1/8 in. double hexagon socket
No. D24—1 1/4 in. double hexagon socket
No. D25—1 1/2 in. double hexagon socket
No. D26—1 3/8 in. double hexagon socket
No. D28—1 1/2 in. double hexagon socket
No. D30—1 3/4 in. double hexagon socket
No. D32—1 in. double hexagon socket
No. D34—1 1/8 in. double hexagon socket
No. D36—1 1/4 in. double hexagon socket
No. D38—1 3/8 in. double hexagon socket
No. 4096—Hinge handle, 15 in. long, with cross handle.

Per set

No. D3-MB—18 pieces; wt. per set 8 1/2 lbs. \$17.55


No. D3-B—Metal box only. 1.80

## BONNEY SOCKET WRENCHES

## STANDARD SERIES SOCKET SETS

## No. A2—Chrome-Vanadium Steel

This set can be had either in strong black enameled box or in cardboard box, and contains an assortment of straight wall, double hexagon sockets for taking care of most jobs.



All have 1/2 inch standard square drive.

Set consists of the following sockets and handle:

No.	Size	Material
A14	1/4 in. St. Wall D.H. Soc.	
A16	1/2 in. St. Wall D.H. Soc.	
A18	3/4 in. St. Wall D.H. Soc.	
A19	1 in. St. Wall D.H. Soc.	
A20	1 1/4 in. St. Wall D.H. Soc.	
A22	1 1/2 in. St. Wall D.H. Soc.	
A24	1 3/4 in. St. Wall Soc.	

No.	Size	Material
A25	1 in. St. Wall D.H. Soc.	
A26	1 1/4 in. St. Wall D.H. Soc.	
A28	1 1/2 in. St. Wall D.H. Soc.	
A30	1 3/4 in. St. Wall D.H. Soc.	
A31	2 in. St. Wall D.H. Soc.	
A32	1 in. St. Wall D.H. Soc.	
4096	Hinge Handle 15 in. long.	

Per set

No. A2CB—14 pieces; in cardboard box; wt. per set 4 1/4 lbs. \$14.50

No. A2MB—14 pieces; in metal box; wt. per set 6 1/4 lbs. 16.20

No. A2B—Metal box only..... 1.70

Nos. W, WD and WS Sets  
Chrome-Vanadium Steel

Packed in substantial enameled cases with a carrying handle, these sets contain ten sockets as listed below.

## No. W Set

Socket No.	Hex. Soc., in.
4014	1/4
4016	1/2
4018	3/4
4019	1
4020	1 1/4
4022	1 1/2
4024	1 3/4
4025	2
4026	2 1/2
4028	3

## No. WD Set

Socket No.	Double Hex. Soc., in.
D14	1/4
D16	1/2
D18	3/4
D19	1
D20	1 1/4
D22	1 1/2
D24	1 3/4
D25	2
D26	2 1/2
D28	3

## No. WS Set

Socket No.	Str. Wall D.H. Soc., in.
A14	1/4
A16	1/2
A18	3/4
A19	1
A20	1 1/4
A22	1 1/2
A24	1 3/4
A25	2
A26	2 1/2
A28	3

In addition to the above sockets, each set contains one each of the following handles and attachments:

No.	Description
4084	Brace, 13 in. long.
4087	Sliding "T" hdl. 11 in. long.
4090	Extension, 5 in. long.
4091	Extension, 10 in. long.

No.	Description
4092	Cross hdl. for 10 in. ext.
4095	Universal joint.
4097	Reversible ratchet.

Per set

No. W—17 pieces; in metal box; wt. per set 13 lbs. \$24.00

No. WD—17 pieces; in metal box; wt. per set 13 lbs. 24.00

No. WS—17 pieces; in metal box; wt. per set 13 lbs. 25.40

No. WB—Metal box only, for above sets..... 3.00

Nos. R, RD and RS Sets  
Chrome-Vanadium Steel

These sets contain exactly the same assortment of sockets as the Nos. W, WD and WS sets as described above, but with a larger number of handles and attachments to care for a greater variety of jobs.

In addition to the sockets, one each of the following

handles and attachments is included:

No.	Description
4081	Offset handle.
4082	"T" handle, 6 in. long.
4084	Brace, 13 in. long.
4085	Speeder, 20 in. long.
4087	Sliding "T" hdl. 11 in. long.

No.	Description
4090	Extension, 5 in. long.
4091	Extension, 10 in. long.
4092	Cross hdl., 10 in. extension.
4095	Universal joint.
4097	Reversible ratchet.

Per set

No. R—Hexagon Sockets; 20 pieces; in metal box..... \$31.10

No. RD—Double Hexagon Sockets; 20 pieces; in metal box 31.10

No. RS—Str. Wall D.H.; Sockets; 20 pieces in metal box. 32.50

Wt. per set 21 pounds.

No. RB—Metal box only, for above sets..... 4.30

## SMALL SERIES SOCKETS

## Chrome-Vanadium Steel Each

No. T10	1/8 in. Double Hex..	\$0.60
No. T12	3/16 in. Double Hex..	.60
No. T14	1/4 in. Double Hex..	.60
No. T16	5/16 in. Double Hex..	.60
No. T18	3/8 in. Double Hex..	.60
No. T20	7/16 in. Double Hex..	.60
No. T22	1/2 in. Double Hex..	.70
No. T24	5/8 in. Double Hex..	.70
No. T26	3/4 in. Double Hex..	.70
No. T28	7/8 in. Double Hex..	.70
No. T30	1 in. Double Hex..	2.00
No. T32	1 1/4 in. Double Hex..	2.00
No. T34	1 1/2 in. Double Hex..	2.25
No. T36	1 3/4 in. Double Hex..	2.25

## SMALL SERIES HANDLES AND ATTACHMENTS

## Chrome-Vanadium Steel Each

No. T2	Offset handle .....	\$1.25
No. T3	Universal joint .....	2.05
No. T4	Extension, 6 in. long..	.90
No. T5	"T" Handle, 12 in. long	1.25
No. T6	"T" Handle, 17 in. long	1.80
No. T7	Crowfoot attachment, 1/2 in. opening.....	1.00
No. T8	Crowfoot attachment, 3/4 in. opening.....	1.05
No. T9	Speeder .....	1.70
No. T27	Drag Link Socket ...	.70
No. T28	Ratchet Handle, with lug .....	3.25

No. T29A—Extra Lug for Ratchet..... .45

No. T30—Hinge Handle ..... 2.50 |

No. T31—Extension, 3 in. long..... .70

## SMALL SERIES SOCKET SETS

## No. TD—Chrome-Vanadium Steel

A compact set for those who want quality with a minimum investment; 3/8 in. square drive.

Packed complete in black enameled metal case, this set contains one each of the following pieces:

No.	Description
T2	Offset handle.
T3	Universal joint.
T4	Extension handle, 6 in. long.
T5	"T" handle, 12 in. long.

No.	Description
T12	3/8 in. dble. hex. socket.
T14	1/2 in. dble. hex. socket.
T16	5/8 in. dble. hex. socket.
T18	3/4 in. dble. hex. socket.
T20	7/8 in. dble. hex. socket.

Per set

No. TD—9 pieces; wt. per set 2 3/8 lbs. \$9.35

## No. TD1—Chrome-Vanadium Steel

All pieces in this set are for 3/8 in. square drive. Packed complete in metal case, finished in black.

Set contains one each of the following pieces:

No.	Description
T2	Offset handle.
T3	Universal joint.
T4	Extension, 6 in. long.
T5	"T" handle, 12 in. long.
T28	Ratchet handle with lug.

No.	Description
T12	3/8 in. dble. hex. socket.
T14	1/2 in. dble. hex. socket.
T16	5/8 in. dble. hex. socket.
T18	3/4 in. dble. hex. socket.
T20	7/8 in. dble. hex. socket.

Per set

No. TD1—10 pieces; wt. per set 2 3/4 lbs. \$12.60

## No. TD2—Chrome-Vanadium Steel

A very complete set of 3/8 in. square drive sockets and attachments. Contains 19 pieces in a sturdy metal box as follows:


No.	Description
T9	Speeder.
T10	1/8 in. dble. hex. socket.
T12	3/16 in. dble. hex. socket.
T14	1/4 in. dble. hex. socket.
T16	5/16 in. dble. hex. socket.
T18	3/8 in. dble. hex. socket.
T20	7/16 in. dble. hex. socket.
T22	1/2 in. dble. hex. socket.
T24	5/8 in. dble. hex. socket.
T26	3/4 in. dble. hex. socket.
T27	Drag link socket.
T28	Ratch handle with lug.
T30	Hinge handle.

Per set

No. TD2—19 pieces; wt. per set 7 1/2 lbs. \$24.70

## BONNEY SOCKET WRENCHES

## HEAVY DUTY SOCKET SERIES



## Chrome-Vanadium Steel; 3/4 Inch Square Drive

Hexagon			Double Hexagon		
Nos.	Each	Opening, in.	Nos.	Each	Opening, in.
4228	\$0.90	7/8	HD28	\$0.90	7/8
4230	1.00	1	HD30	1.00	1
4231	1.00	1 1/8	HD31	1.00	1 1/8
4232	1.00	1 1/4	HD32	1.00	1 1/4
4234	1.15	1 1/2	HD34	1.15	1 1/2
4236	1.20	1 3/4	HD36	1.20	1 3/4
4238	1.20	1 7/8	HD38	1.20	1 7/8
4240	1.30	2	HD40	1.30	2
4242	1.30	2 1/8	HD42	1.30	2 1/8
4244	1.30	2 1/4	HD44	1.30	2 1/4
4246	1.55	2 1/2	HD46	1.55	2 1/2
4248	1.55	2 3/4	HD48	1.55	2 3/4
4252	1.80	3	HD50	1.65	2 7/8
4254	2.25	3 1/8	HD52	1.80	3
4256	2.25	3 1/4			
4258	2.50	3 1/2			
4260	2.50	3 3/4			
4264	3.00	4			
4266	3.50	4 1/4			
4268	3.75	4 1/2			
4270	4.00	4 3/4			
4272	4.50	5			

## HEAVY DUTY HANDLES AND ATTACHMENTS

## Chrome-Vanadium Steel

No.	Each
No. 4284—Brace	\$5.60
No. 4287—Sliding "T" Handle, 20 in. long	3.25
No. 4288—Hinge handle, 22 in. long	4.00
No. 4289—Cross handle, 16 1/2 in. long, for No. 4288	1.00
No. 4290—Extension, 8 1/2 in. long	2.25
No. 4290A—Extension, 4 in. long	1.95
No. 4291—Extension, 17 in. long	2.75
No. 4292—Reversible Ratchet Handle, 20 in. long	10.00
No. 4295—Universal Joint	6.80

## HERCULES HEAVY DUTY SOCKET SETS

Nos. H and HD Sets  
Chrome-Vanadium Steel

These sets contain 3/4 in. drive sockets and attachments, packed in a strong black enameled metal case.

Each set contains one each of the following sockets.


H Set Hexagon Sockets	HD Set D.H. Sockets	Open- ing, in.	H Set Hexagon Sockets	HD Set D.H. Sockets	Open- ing, in.
4230	HD30	1	4240	HD40	2
4231	HD31	1 1/8	4244	HD44	2 1/4
4232	HD32	1 1/4	4246	HD46	2 1/2
4234	HD34	1 1/2	4248	HD48	2 3/4
4236	HD36	1 3/4	4252	HD52	3

Each of the above sets also includes each of the following attachments.

- No. 4287—Sliding "T" Handle, 20 in. long
- No. 4290—Extension, 8 1/2 in. long
- No. 4291—Extension, 17 in. long
- No. 4292—Reversible Ratchet Handle, 20 in. long.

No. H—14 pieces; wt. per set 27 lbs.	\$34.10
No. HD—14 pieces; wt. per set 27 lbs.	34.10

## "MC" BENCH SET



The Bonney "MC" Bench Set is well adapted for all-around work in the garage. Mechanics everywhere consider it to be an all-purpose set hard to beat. Every one of the 73 pieces is light in weight, strong and sturdy and carries the well-known Bonney guarantee not to break or spread. The black metal chest containing the set is 23 1/2 in. long, 12 in. wide, 9 in. high and has a removable tray and drop front.

Contained in the "MC" set are one each of the following:

## Sockets

No. T12—3/8 in. dble. Hex.	No. D30—1 1/2 in. dble. Hex.
No. T14—7/8 in. dble. Hex.	No. D31—1 3/4 in. dble. Hex.
No. T16—1 in. dble. Hex.	No. D32—1 in. dble. Hex.
No. T18—1 1/8 in. dble. Hex.	No. 4001—1 1/2 in. drag link
No. T20—5/8 in. dble. Hex.	No. 4002—1 3/4 in. drag link
No. 4114—7/8 in. dble. square	No. LD26T—1 1/2 in. Extra Deep
No. 4116—1 in. dble. square	No. LD32—1 in. Extra Deep
No. 4118—1 1/8 in. dble. square	No. HD34—1 1/2 in. Heavy Duty
No. D14—7/8 in. dble. Hex.	No. HD36—1 3/4 in. Heavy Duty
No. D16—1 in. dble. Hex.	No. HD40—1 1/2 in. Heavy Duty
No. D18—1 1/8 in. dble. Hex.	No. HD44—1 3/4 in. Heavy Duty
No. D19—1 in. dble. Hex.	No. HD46—1 1/2 in. Heavy Duty
No. D20—5/8 in. dble. Hex.	No. HD48—1 3/4 in. Heavy Duty
No. D21—1 1/8 in. dble. Hex.	No. HD52—1 5/8 in. Heavy Duty
No. D22—1 in. dble. Hex.	No. 2866—1/2 in. Crowfoot Box
No. D24—3/4 in. dble. Hex.	No. 2868—3/8 in. Crowfoot Box
No. D25—1 in. dble. Hex.	No. 2870—5/8 in. Crowfoot Box
No. D26—1 1/8 in. dble. Hex.	No. 2874—3/4 in. Crowfoot Box.
No. D28—5/8 in. dble. Hex.	

## Handles and Attachments

- No. 4081—Offset
- No. 4084—Brace, 13 in. long
- No. 4085—Speeder, 20 in. long
- No. 4087—Sliding "T"
- No. 4090—Extension, 5 in. long
- No. 4091—Extension, 10 in. long
- No. 4092—Cross Handle
- No. 4095—Universal Joint
- No. 4096—Hinge Handle
- No. 4097—Reversible Ratchet
- No. T2—Offset
- No. T3—Universal Joint
- No. T4—Extension, 6 in. long
- No. T5—"T" Handle, 12 in. long
- No. T9—Speeder
- No. T30—Hinge Handle
- No. T28—Ratchet
- No. 4287—Sliding "T"
- No. 4290—Extension, 8 1/2 in. long
- No. 4291—Extension, 17 in. long.

## Wrenches

- No. H10—7/8 & 1 in. Engineers
- No. H12—1/4 & 5/8 in. Engineers
- No. H14—3/8 & 1 1/8 in. Engineers
- No. H16—3/4 & 1 1/4 in. Engineers
- No. H18—1 1/2 & 1 3/4 in. Engineers
- No. 1725B—1/2 & 5/8 in. Engineers
- No. 1727—3/8 & 5/8 in. Engineers
- No. 1729—5/8 & 3/4 in. Engineers
- No. 1731A—3/4 & 1 in. Engineers
- No. 1033C—1 1/8 & 1 in. Engineers
- No. 2725B—1 1/2 & 1 3/4 in. R. Angle
- No. 2727—1/2 & 5/8 in. R. Angle
- No. 2804—3/8 & 1/2 in. D.H. Box
- No. 2805—1/2 & 5/8 in. D.H. Box
- No. 2807—5/8 & 3/4 in. D.H. Box
- No. 2809—3/4 & 1 in. D.H. Box.

No. MC—73 pieces; wt. per set 62 lbs.	\$101.00
No. MCB—Metal Box only.	11.25



BONNEY WRENCHES

ENGINEER'S




Zeneal Steel

Concave handle allows the mechanic to obtain a firm, comfortable grip on the wrench. A reduction in the width of the wrench head also offers additional advantages.

Nos.	Each	U.S.S. bolt size	Hex. head cap screw	S.A.E. Standard screw and nut	Openings milled	Ex-treme lgth.	Thick-ness of head
3721	\$0.70	1/8 - 1/8	1/8 - 1/8	.....	1 1/8 - 3/8	4 1/4	1 1/8
3921	.70	1/8 - 1/8	1/8 - 1/8	.....	1 1/8 - 3/8	4 1/4	1 1/8
3723	.75	.....	1/8 - 1/4	.....	3/8 - 1/2	4 3/4	1 1/8
3723A	.75	.....	1/8 - 1/4	.....	3/8 - 1/2	4 3/4	1 1/8
3923	.75	1/8 - 1/4	1/8 - 1/4	.....	3/8 - 1/2	4 3/4	1 1/8
3725	.90	.....	1/4 - 1/4	.....	1/2 - 1/2	5 3/4	1 1/4
3725B	.90	1/4 - 1/4	1/4 - 1/4	.....	1/2 - 1/2	5 3/4	1 1/4
3925	.90	1/4 - 1/4	1/4 - 1/4	.....	1/2 - 1/2	5 3/4	1 1/4
3727	1.05	.....	3/8 - 1/2	.....	1/2 - 1/2	7	1 1/2
3927	1.05	.....	3/8 - 1/2	.....	1/2 - 1/2	7	1 1/2
3927C	1.05	.....	3/8 - 1/2	.....	1/2 - 1/2	7	1 1/2
3928S	1.35	.....	1/2 - 1/2	.....	1/2 - 1/2	8	1 1/2
3729	1.35	.....	1/2 - 1/2	.....	1/2 - 1/2	8	1 1/2
3929	1.35	.....	1/2 - 1/2	.....	1/2 - 1/2	8	1 1/2
3731	1.80	.....	1/2 - 1/2	.....	1/2 - 1/2	9 1/2	1 3/4
3731A	1.80	.....	1/2 - 1/2	.....	1/2 - 1/2	9 1/2	1 3/4
3931	1.80	.....	1/2 - 1/2	.....	1/2 - 1/2	9 1/2	1 3/4
3933A	1.80	.....	1/2 - 1/2	.....	1/2 - 1/2	9 1/2	1 3/4
3933	1.80	.....	1/2 - 1/2	.....	1/2 - 1/2	9 1/2	1 3/4
3733	2.25	.....	5/8 - 3/4	.....	1/2 - 1/2	11	1 3/4
3933C	2.25	.....	5/8 - 3/4	.....	1/2 - 1/2	11	1 3/4
3934	2.25	.....	5/8 - 3/4	.....	1/2 - 1/2	11	1 3/4
3934A	2.25	.....	5/8 - 3/4	.....	1/2 - 1/2	11	1 3/4
3935	2.25	.....	5/8 - 3/4	.....	1/2 - 1/2	11	1 3/4
3735	3.15	.....	3/4 - 7/8	.....	1 - 1 1/8	12 1/2	1 3/4
3937	3.15	.....	3/4 - 7/8	.....	1 - 1 1/8	12 1/2	1 3/4
3737	3.15	.....	3/4 - 7/8	.....	1 - 1 1/8	12 1/2	1 3/4

ENGINEER'S WRENCH SETS



No. Z25 Set, Zeneal Steel

A set of six engineers' wrenches; can be had in a cardboard box or a handy leatherette roll.

Set contains six wrenches, one each of Nos. 3723, 3925, 3927C, 3928S, 3731A and 3933C, as described above.

Per set

No. Z25CB—6 wrenches, in cardboard box.....\$8.05  
No. Z25LR—6 wrenches, in leatherette roll..... 8.95


No. Z26 Set, Zeneal Steel

A set of eight engineer's wrenches; can be had in a handy leatherette roll only.

Set contains eight wrenches, one each of Nos. 3723, 3725, 3725B, 3925, 3727, 3729, 3929 and 3731A, as described above.

Per set

No. Z26LR—8 wrenches in leatherette roll.....\$9.90



No. 25 Set, Chrome-Vanadium Steel

A set assembled to offer the mechanic and general user a wrench set to cover all of the most popular sizes of nuts and bolts. Each wrench has a different size opening in each end.

Set consists of six wrenches, one each of Nos. 1723, 1025, 1027C, 1028S, 1731A and 1033C, as described in next column.

Per set

No. 25CB—6 wrenches in cardboard box.....\$6.40  
No. 25LB—6 wrenches, in leatherette roll..... 7.25

ENGINEER'S



Chrome-Vanadium Steel

A light, well balanced, serviceable wrench with thin pear shaped head. Rigidly inspected and fully guaranteed.

Nos.	Each	U.S.S. bolt size	Hex. head cap screw	S.A.E. Standard screw and nut	Openings milled	Ex-treme lgth.	Thick-ness of head
1020	\$0.45	.....	1/8 - 1/8	.....	1/4 - 1/8	3	3/8
1721	.50	1/8 - 1/8	1/8 - 1/8	.....	1/8 - 3/8	3 3/8	1 1/8
1021	.50	1/8 - 1/8	1/8 - 1/8	.....	1/8 - 3/8	3 3/8	1 1/8
1722	.50	1/8 - 1/8	1/8 - 1/4	.....	1/8 - 1/2	4 1/8	1 1/8
1723	.50	.....	1/8 - 1/4	.....	1/8 - 1/2	4 1/8	1 1/8
1022	.60	1/8 - 1/4	1/8 - 1/4	.....	1/8 - 1/2	4 1/8	1 1/8
1023	.60	1/8 - 1/4	1/8 - 1/4	.....	1/8 - 1/2	4 1/8	1 1/8
1723A	.60	.....	1/8 - 1/4	.....	1/8 - 1/2	4 1/8	1 1/8
1724	.70	.....	1/8 - 1/4	.....	1/8 - 1/2	5 1/8	1 1/8
1024	.70	.....	1/8 - 1/4	.....	1/8 - 1/2	5 1/8	1 1/8
1725	.70	.....	1/8 - 1/4	.....	1/8 - 1/2	5 1/8	1 1/8
1725A	.70	.....	1/8 - 1/4	.....	1/8 - 1/2	5 1/8	1 1/8
1725B	.70	.....	1/8 - 1/4	.....	1/8 - 1/2	5 1/8	1 1/8
1025	.70	1/4 - 1/4	1/4 - 1/4	.....	1/2 - 1/2	5 1/8	1 1/8
1726	.85	1/4 - 1/4	1/4 - 1/4	.....	1/2 - 1/2	6 1/8	1 1/8
1026	.85	1/4 - 1/4	1/4 - 1/4	.....	1/2 - 1/2	6 1/8	1 1/8
1727	.85	.....	3/8 - 1/2	.....	1/2 - 1/2	6 1/8	1 1/8
1027	.85	.....	3/8 - 1/2	.....	1/2 - 1/2	6 1/8	1 1/8
1027C	.85	.....	3/8 - 1/2	.....	1/2 - 1/2	6 1/8	1 1/8
1028	1.05	.....	1/2 - 1/2	.....	1/2 - 1/2	7 1/8	1 1/8
1728	1.05	.....	1/2 - 1/2	.....	1/2 - 1/2	7 1/8	1 1/8
1028S	1.05	.....	1/2 - 1/2	.....	1/2 - 1/2	7 1/8	1 1/8
1729	1.05	.....	1/2 - 1/2	.....	1/2 - 1/2	7 1/8	1 1/8
1029	1.05	.....	1/2 - 1/2	.....	1/2 - 1/2	7 1/8	1 1/8
1730	1.05	.....	1/2 - 1/2	.....	1/2 - 1/2	7 1/8	1 1/8
1030	1.05	.....	1/2 - 1/2	.....	1/2 - 1/2	7 1/8	1 1/8
1731	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1731A	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1031	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1731B	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1732A	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1032	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1732	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1033A	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1033	1.40	.....	1/2 - 1/2	.....	1/2 - 1/2	9	1 3/4
1733	1.90	.....	1/2 - 1/2	.....	1/2 - 1/2	10 1/2	1 3/4
1033C	1.90	.....	1/2 - 1/2	.....	1/2 - 1/2	10 1/2	1 3/4
1034	1.90	.....	1/2 - 1/2	.....	1/2 - 1/2	10 1/2	1 3/4
1734	1.90	.....	1/2 - 1/2	.....	1/2 - 1/2	10 1/2	1 3/4
1034A	1.90	.....	1/2 - 1/2	.....	1/2 - 1/2	10 1/2	1 3/4
1035	1.90	.....	1/2 - 1/2	.....	1/2 - 1/2	10 1/2	1 3/4
1735	2.65	.....	3/4 - 7/8	.....	1 - 1 1/8	12	1 3/4
1036	2.65	.....	3/4 - 7/8	.....	1 - 1 1/8	12	1 3/4
1736	2.65	.....	3/4 - 7/8	.....	1 - 1 1/8	12	1 3/4
1037	2.65	.....	3/4 - 7/8	.....	1 - 1 1/8	12	1 3/4
1737	2.65	.....	3/4 - 7/8	.....	1 - 1 1/8	12	1 3/4
1038	4.15	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	14	1 3/4
1738	4.15	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	14	1 3/4
1739	4.15	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	14	1 3/4
1039	4.15	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	14	1 3/4
1739A	4.15	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	14	1 3/4
1739B	4.15	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	14	1 3/4
1040	4.15	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	14	1 3/4
1041	7.50	.....	1 - 1 1/8	.....	1 1/4 - 1 1/8	15 1/2	1 3/4